



HURRICANE MINI

HAND CHAIN HOIST

MINI BUT MIGHTY

The CM Hurricane Mini 360° is the smallest hand chain hoist on the market with full 360-degree rotation, providing flexibility and versatility for narrow or challenging applications.

Small and lightweight, the CM Hurricane Mini 360° is ideal for multi-angle applications, allowing the operator to lift from virtually any position. The CM Hurricane Mini 360° is essential for service technicians, construction workers, or any low-capacity on-the-job lift.

CAPACITIES-

1/4 & 1/2 TON



10, 15, & 20 FEET

FEATURES & BENEFITS

LIGHT TO CARRY & EASY TO STORE

Compacted, lightweight design makes the hoist easy to install for on-the-go lifting applications. An essential part of your everyday toolset.

PATENTED 360° ROTATING HAND CHAIN COVER

Unique rotating hand chain cover allows the chain to rotate a full 360 degrees for safe and efficient operation from any direction. The cover design promotes smooth movement of the chain and a wide range of applications.

BUILT FOR DURABILITY & RELIABILITY

Made of aluminum alloy, durable design ensures safety and reliability. The double pawl brake system provides advanced safety while special heat-treated flex hook prevents breakage.

EVERYDAY APPLICATIONS

The most versatile mini hoist on the market, the CM Hurricane Mini 360° is a standard part of your toolbox for everyday applications.


Ready for nearly any low capacity lift, the CM Hurricane Mini 360° is ideal for use at home and in factories, for field construction, agriculture, warehouse, and small equipment installation. Anti-corrosive properties ensure durability in chemical and marine environments.







Product Code	Capacity (ton)	Lift ft (m)	Weight Ibs (kg)	Effort Required to Lift Rated Load Ibf (kN)	Chain Overhaul to lift 1 ft. / 39.93 m ft. (m)	Diameter of Load Chain in (mm)	Strands of Load Chain
MHU02510	1/4	10 (3.05)	5.7 (2.59)	36 (160)	25 (7.62)	0.118 (3)	1
MHU02515		15	12.5	36	25	0.118	1
		(4.57)	5.67)	(160)	(7.62)	(3)	
MHU02520		20	19.4	36	25	0.118	1
		(6.10)	(8.8)	(160)	(7.62)	(3)	·
MHU05010	1/2	10	8.73	45	38	0.160	1
		(3.05)	(3.96)	(200)	(11.58)	(4)	1
MHU05015		15	14.5	45	38	0.160	1
		(4.57)	(6.58)	(200)	(11.58)	(4)	
MHU05020		20 (6.10)	20.38 (9.24)	45 (200)	38 (11.58)	0.160 (4)	1
		(0.10)	(3.24)	(200)	(11.50)	(+)	



PRODUCT CODE	DIMENSIONS						
THODOCT CODE	А	В	С	D	Е		
MHU02510							
MHU02515	3.36 (85)	3.125 (79)	9.69 (246)	0.83 (21)	1.26 (32)		
MHU02520							
MHU05010							
MHU05015	3.94 (100)	4 (102)	10.38 (264)	0.91 (23)	1.38 (35)		
MHU05020							



WWW.COLUMBUSMCKINNON.COM/CM



USA

p: 800.888.0985

p: 716.689.5400

f: 716.689.5644

CAN

p: 877.264.6478

f: 877.264.6477

CUSTOMER.CARE@CMWORKS.COM